MEASURING TAPES

PRODUCT SPECIFICATION TABLE

	НООК			
MEASURING TAPES	STEEL HOOK	TEMPERED STEEL HOOK	STRONG HOOK	
CATEGORY				
SIGMA STOP™	● SS-10BW		● SS-16BW ● SS-16/5MBW ● SS-25BW ● SS-25/7.5MBW ● SSSF-16BW ● SSSF-16/5MBW ● SSSF-25BW	
0.6 in × 10 ft 1.0 in × 16 ft 1.0 in × 25 ft	7ama		● SSSF-25/7.5MBW	
GS-LOCK™ 1.0 in × 16 ft 1.1 in × 25 ft			● GS-16BW ● GS-16/5MBW ● GS-25BW ● GS-25/7.5MBW ● GSSF-16BW ● GSSF-165MBW ● GSSF-25/7.5MBW ● GSSF-25/7.5MBW	
Pg. 30 · 31 · 32			• GS-C16/5MBW	
1.0 in × 16 ft 1.0 in × 25 ft 1.0 in × 30 ft Pg. 35		● GP-16BW ● GP-25BW ● GP-30BW		
0.5 in × 6 ft 1.0 in × 16 ft 1.0 in × 25 ft 1.0 in × 30 ft Pg. 36	● G-6BW ● G-16BW ● G-25BW ● G-30BW ● G-5.5MBW ● G-7.5MBW ● G-16/5MBW ● G-25/7.5MBW ● G-33/10MBW			
HI-LOCK™ 1.0 in × 16 ft 1.0 in × 25 ft 1.0 in × 30 ft Pg. 36	● HL-16BW ● HL-25BW ● HL-30BW ● HL-16/5MBW ● HL-25/7.5MBW			

MEASURING TAPES

НООК	TA	PE	CLIP		
HORNED MAGNETIC HOOK	STANDARD TAPE Surface Description of the state of the st	STRONG TAPE DUAL SIDED BLADE Surface of 166 December 166 166 Decembe	BELT CLIP	COMPATIBLE CLIP	LOCKING MOUNT
		All SIGMA STOP Series	● SS-10BW ● SS-16BW ● SS-16/5MBW ● SS-25BW ● SS-25/7.5MBW		● SSSF-16BW ● SSSF-16/5MBW ● SSSF-25BW ● SSSF-25/7.5MBW
● GS-MC16BW ● GS-MC16/5MBW ● GS-SC16BW ● GS-SC16/5MBW		All GS-LOCK Series	● GS-16BW ● GS-16/5MBW ● GS-25BW ● GS-25/7.5MBW	GS-C16BW GS-C16/5MBW GS-MC16BW GS-MC16/5MBW GS-SC16BW GS-SC16BW	● GSSF-16BW ● GSSF-16/5MBW ● GSSF-25BW ● GSSF-25/7.5MBW
	● GP-16BW ● GP-25BW ● GP-30BW		● GP-16BW ● GP-25BW ● GP-30BW		
	● G-6BW ● G-16BW ● G-25BW ● G-30BW ● G-5.5MBW ● G-7.5MBW ● G-16/5MBW ● G-25/7.5MBW ● G-33/10MBW		● G-6BW ● G-16BW ● G-25BW ● G-30BW ● G-5.5MBW ● G-7.5MBW ● G-16/5MBW ● G-25/7.5MBW ● G-33/10MBW		
	● HL-16BW ● HL-25BW ● HL-30BW ● HL-16/5MBW ● HL-25/7.5MBW		● HL-16BW ● HL-25BW ● HL-30BW ● HL-16/5MBW ● HL-25/7.5MBW		