

UTILITY KNIVES & BLADES

California Proposition 65 warning applicable to all products on this page:




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

VR-SERIES UTILITY KNIVES



Rugged one-piece fixed-blade utility knife opens easily with a large thumb-screw featuring a magnetic blade retainer and spare blades clip.



BLADE TYPE	ITEM CODE	INCLUDES BLADES	CASE	MASTER CARTON	UPC	MATERIAL SUITABILITY INDEX	CORRESPONDING KNIVES
V-REX™ II Premium tempered steel blades with razor-sharp cutting edges, optimized for drywall and other heavy-duty cutting and scoring tasks.   	VRB2-5B 	5	 10  50	 120  600	0-49296-11160-1	BUILDING MATERIAL  ★★  ★★  ★★ PAPER  ★★  ★★ WOOD  ★★  ★★ PLASTIC  ★★	 VR-101R  VR-102B  VR-103
	VRB2-50B 	50	 10  500	 40  2,000	0-49296-11161-8		
	VRB2-100B 	100	 10  1,000	 40  4,000	0-49296-11162-5		
DEEP HOOK™ Premium-grade deep hook blades designed to prevent slip off when cutting rigid roofing or flooring material. 	HKB-5B 	5	 10  50	 120  600	0-49296-01956-3	BUILDING MATERIAL  ★★  ★★	
	HKB-50B 	50	 10  500	 40  2,000	0-49296-01955-6		

★★ Best

★★ Better

UTILITY KNIVES & BLADES

California Proposition 65 warning applicable to all products on this page:

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

THE TAJIMA DIFFERENCE

Strategically-designed blades that combine the best in material, tempering, and sharpening



BLADE WIDTH	BLADE	ITEM CODE	INCLUDES BLADES	CASE	MASTER CARTON	UPC	CORRESPONDING KNIVES
1 in 25 mm	Rock Hard Blade™ SK120 16 g Blade Thickness: 0.03 in (0.7 mm)	 LCB-65	10	6 60 60 600	0-49296-02088-0	DC661N	
		 LCB-65-20	20	6 120 60 1,200	0-49296-01815-3	ACM-700C	
		 CB65C	10	10 100 60 600	0-49296-11197-7	AC-701S	
							AC-701R
		SOLID Rock Hard Blade™ SK120 16 g Blade Thickness: 0.03 in (0.7 mm)	 LCB-65S	10	10 100 50 500	0-49296-01995-2	LC-661
		Razar Black Blade™ SK120 16 g Blade Thickness: 0.03 in (0.7 mm)	 LCB-65RB	10	6 60 60 600	0-49296-11153-3	DFC671N-R1
		 CB65RBC	10	10 100 60 600	0-49296-11198-4	SCR-H1200	
0.9 in 22 mm	Endura-Blade™ SK120 10 g Blade Thickness: 0.02 in (0.65 mm)	 LCB-62	10	6 60 60 600	0-49296-02155-9	DC-690	
						SCR-L series	

UTILITY KNIVES & BLADES

California Proposition 65 warning applicable to all products on this page:

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.



**Only SK-120
Premium Grade Steel**

The purest grade of steel ensures the strongest-possible core and results in a more accurately tooled and sharpened blade.



**Precise,
Multi-Step Sharpening**

Optimized cutting edge geometry and advanced honing techniques results in consistent, superior cutting performance.



Japanese-Style Tempering

A centuries-old process of heat-treating and hardening the steel to further maximize blade strength and cutting edge life.


OPTIMIZED BLADE GEOMETRY AND CUTTING EDGE ANGLES

To ensure the best cutting performance for specific types of material




Endura-Blade™

For general purpose scoring and cutting, ideal for work with drywall, wood and other thick materials. An extremely sharp and strong blade that integrates premium steel, Japanese-style tempering and multi-step sharpening to produce a dependable, solid feel and long cutting performance.



Razar Black Blade™

For precise cutting and fine material slicing, ideal for work with paper, film and other thin materials. A razor-sharp acute angle blade that integrates premium steel, Japanese-style tempering and multi-step sharpening to produce an exceptionally smooth and fine quality of cut.



BLADE WIDTH	BLADE	ITEM CODE	INCLUDES BLADES	CASE	MASTER CARTON	UPC	CORRESPONDING KNIVES
0.7 in 18 mm	Endura-Blade™ SK120 6 g Blade Thickness: 0.02 in (0.5 mm)	LCB-50	10			0-49296-01427-8	
		LCB-50-50	50			0-49296-04119-9	
		CB50C	10			0-49296-11195-3	
	Max Point Endura-Blade™ SK120 6 g Blade Thickness: 0.02 in (0.5 mm)	LCB-50D	10			0-49296-04135-9	
		LCB-50S	10			0-49296-11072-7	
	Razar Black Blade™ SK120 6 g Blade Thickness: 0.02 in (0.5 mm)	LCB-50RB	10			0-49296-01906-8	
		LCB-50RB-50	50			0-49296-11064-2	
		CB50RBC	10			0-49296-11196-0	
	Endura-Blade™ SK120 2 g Blade Thickness: 0.01 in (0.38 mm)	LCB-30	10			0-49296-01425-4	
		LCB-30-50	50			0-49296-07040-3	
0.4 in 9 mm	Razar Black Blade™ SK120 2 g Blade Thickness: 0.01 in (0.38 mm)	LCB-30RB	10			0-49296-11152-6	
	30° Acute Angle Blade™ SK120 2 g Blade Thickness: 0.01 in (0.38 mm)	CB39RBH	10			0-49296-11194-6	