

MARKING TOOLS

Precision Snap Line Systems

LINE THICKNESS LINE LENGTH	 0.02 in (0.5 mm)	 0.04 in (1.0 mm)	 0.07 in (1.8 mm)	 0.1 in (2.8 mm)
150 ft (45 m)				CR604S Pg.12 
100 ft (30 m)	CR212SFB Pg.10  CR202B-P Pg.10  CR302JF Pg.11  CR402S Pg.11 	CR211SFR Pg.10  CR201R-PR CR201W-P Pg.10  CR301JF Pg.11  CR401S Pg.11 	CR503S Pg.12 	
50 ft (15 m)	CR802SFB Pg.9 	CR701SFR Pg.9 	CR403S Pg.12 	
23 ft (7 m)		CR101S-0 Pg.13 		
REPLACEMENT SNAP LINE	PL-ITOS Pg.13 	PL-ITOL Pg.13 	PL-ITOLL Pg.13 	PL-ITO3L Pg.13 

California Proposition 65 warning applicable to all products on this page.

⚠ WARNING : Risk of cancer and reproductive harm from exposure to Di (2-ethylhexyl) phthalate (DEHP). See www.P65Warnings.ca.gov.

MARKING TOOLS

CHALK LINE REPLACEMENT PARTS COMPATIBILITY TABLE

CHALK LINE REPLACEMENT PARTS	 CR701SFR Pg. 9	 CR802SFB Pg. 9	 CR211SFR Pg. 10	 CR212FSB Pg.10	 CR201R-PR Pg.10	 CR201W-P Pg.10	 CR202B-P Pg.10	 CR301JF Pg. 11	 CR302JF Pg. 11	 CR401S Pg. 11	 CR402S Pg. 11	 CR403S Pg.12	 CR503S Pg. 12	CHALK LINE REPLACEMENT PARTS
TAJ-EH09 	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	TAJ-EH09 
TAJ-CSDR 			✓	✓	✓	✓	✓			✓	✓	✓	✓	TAJ-CSDR 
TAJ-HN09 					✓	✓	✓	✓	✓					TAJ-HN09 
TAJ-G009 	✓	✓	✓	✓	✓	✓	✓	✓	✓					TAJ-G009 
TAJ-CP10 					✓	✓	✓	✓	✓	✓	✓	✓	✓	TAJ-CP10 
TAJ-GS09 					✓	✓	✓	✓	✓					TAJ-GS09 
TAJ-LL09 					✓	✓	✓							TAJ-LL09 
TAJ-LS09 			✓	✓	✓	✓	✓							TAJ-LS09 
TAJ-NTSBTS 					✓	✓	✓							TAJ-NTSBTS 
TAJ-SPDR 										✓	✓	✓	✓	TAJ-SPDR 
TAJ-PTDR 			✓	✓						✓	✓	✓	✓	TAJ-PTDR 
TAJ-HNDR 										✓	✓	✓	✓	TAJ-HNDR 
TAJ-LSDR 										✓	✓	✓		TAJ-LSDR 

California Proposition 65 warning applicable to all products on this page.

 **WARNING** : Risk of cancer and reproductive harm from exposure to Di (2-ethylhexyl) phthalate (DEHP). See www.P65Warnings.ca.gov.

MARKING TOOLS

Permanency of TAJIMA Chalk

Permanency Level Chalk Series	1	2	3	4	5
	Standard	High-Visibility	Semi-Permanent	Permanent	Ultimate Permanency
SNAP LINE DYE	—	—	—	 DARK WHITE / DARK BLUE BLACK	 DARK RED
MICRO CHALK	 WHITE	 YELLOW / BLUE	 RED	—	—
FLUORESCENT MICRO CHALK	 GREEN	 YELLOW / BLUE / PINK	—	—	—
Best for	Interior	Interior / Exterior	Exterior		
Applications	• Remodeling • Interior Trim • Interior Decorating • Cabinet Installation	• Roofing • Siding • Paneling • Interior Layout	• Corrections • Plumbing / Electrical • Roofing • Masonry	• Exterior Layout • Concrete Layout • Roofing • Steel & Metal Fabrication	• Exterior Layout • Concrete Layout • Extreme Conditions • Long Term Applications
Benefits	• Eliminates need for priming before painting • Wipes off smooth and rough surfaces with a cloth cleanly	• Temporary marking-chalk • Provides great visibility • Use to show layout changes and corrections	• For semi-permanent marking projects • Use to show layout changes and corrections	• Weather resistant lines remain visible after weeks of weather, sun and jobsite wear and tear	• Weatherproof lines reduces the need for spraying a sealant on snapped lines • Stains surfaces



California Proposition 65 warning applicable to all products on this page.

⚠ WARNING : Risk of cancer and reproductive harm from exposure to Di (2-ethylhexyl) phthalate (DEHP). See www.P65Warnings.ca.gov.