




UTILITY KNIVES & BLADES

VR-SERIES UTILITY KNIVES



Rugged one-piece fixed-blade utility knife opens easily with a large thumb-screw featuring a magnetic blade retainer and spare blades clip.



BLADE TYPE	ITEM CODE	INCLUDES BLADES	CASE	MASTER CARTON	UPC	MATERIAL SUITABILITY INDEX	CORRESPONDING KNIVES
V-REX™ II Premium tempered steel blades with razor-sharp cutting edges, optimized for drywall and other heavy-duty cutting and scoring tasks.   	VRB2-5B	5	10 50	120 600	0-49296-11160-1	BUILDING MATERIAL  ★★ ★★ ★★ PAPER  ★★ ★★ WOOD  ★★ ★★ PLASTIC  ★★	 VR-101R  VR-102B  VR-103
	VRB2-50B	50	10 500	40 2,000	0-49296-11161-8		
	VRB2-100B	100	10 1,000	40 4,000	0-49296-11162-5		
DEEP HOOK™ Premium-grade deep hook blades designed to prevent slip off when cutting rigid roofing or flooring material. 	HKB-5B	5	10 50	120 600	0-49296-01956-3	BUILDING MATERIAL  ★★ ★★	
	HKB-50B	50	10 500	40 2,000	0-49296-01955-6		

★★ Best ★★ Better


California Proposition 65 warning applicable to all products on this page.






⚠ WARNING : Risk of cancer and reproductive harm from exposure to Di (2-ethylhexyl) phthalate (DEHP). See www.P65Warnings.ca.gov.

UTILITY KNIVES & BLADES

THE TAJIMA DIFFERENCE

Strategically-designed blades that combine the best in material, tempering, and sharpening



BLADE WIDTH	BLADE	ITEM CODE	INCLUDES BLADES	CASE	MASTER CARTON	UPC	CORRESPONDING KNIVES	
1 in 25 mm	Rock Hard Blade™ SK120 16 g  Blade Thickness: 0.03 in (0.7 mm)	LCB-65 	10	 6  60  60  600	0-49296-02088-0	 DC701D-R		
		LCB-65-20 	20	 6  120  60  1,200	0-49296-01815-3	 DC660N  DC661N		
		CB65C 	10	 10  100  60  600	0-49296-11197-7	 AC-700S  AC-701S		
								 AC-700B  AC-701R
								 LC-660  LC-661
								 DFC670N-R1  DFC671N-R1
1 in 25 mm	SOLID Rock Hard Blade™ SK120 16 g  Blade Thickness: 0.03 in (0.7 mm)	LCB-65S 	10	 10  100  50  500	0-49296-01995-2			
	Razar Black Blade™ SK120 16 g  Blade Thickness: 0.03 in (0.7 mm)	LCB-65RB 	10	 6  60  60  600	0-49296-11153-3	 LC-650		
		CB65RBC 	10	 10  100  60  600	0-49296-11198-4	 SCR-H1200		
0.9 in 22 mm	Endura-Blade™ SK120 10 g  Blade Thickness: 0.02 in (0.65 mm)	LCB-62 	10	 6  60  60  600	0-49296-02155-9	 DC-690  LC-620  SCR-L series		

California Proposition 65 warning applicable to all products on this page.

WARNING : Risk of cancer and reproductive harm from exposure to Di (2-ethylhexyl) phthalate (DEHP). See www.P65Warnings.ca.gov.

UTILITY KNIVES & BLADES



Only SK-120 Premium Grade Steel

The purest grade of steel ensures the strongest-possible core and results in a more accurately tooled and sharpened blade.



Precise, Multi-Step Sharpening

Optimized cutting edge geometry and advanced honing techniques results in consistent, superior cutting performance.



Japanese-Style Tempering

A centuries-old process of heat-treating and hardening the steel to further maximize blade strength and cutting edge life.


OPTIMIZED BLADE GEOMETRY AND CUTTING EDGE ANGLES

To ensure the best cutting performance for specific types of material




Endura-Blade™








For general purpose scoring and cutting, ideal for work with drywall, wood and other thick materials. An extremely sharp and strong blade that integrates premium steel, Japanese-style tempering and multi-step sharpening to produce a dependable, solid feel and long cutting performance.



Razar Black Blade™

For precise cutting and fine material slicing, ideal for work with paper, film and other thin materials. A razor-sharp acute angle blade that integrates premium steel, Japanese-style tempering and multi-step sharpening to produce an exceptionally smooth and fine quality of cut.



BLADE WIDTH	BLADE	ITEM CODE	INCLUDES BLADES	CASE	MASTER CARTON	UPC	CORRESPONDING KNIVES	
0.7 in 18 mm	Endura-Blade™ SK120 6 g 	LCB-50	10			0-49296-01427-8	 	
		LCB-50-50	50			0-49296-04119-9	 	
		CB50C	10			0-49296-11195-3	 	
	Max Point Endura-Blade™ SK120 6 g 	LCB-50D	10			0-49296-04135-9	 	
	SOLID Endura-Blade™ SK120 6 g 	LCB-50S	10			0-49296-11072-7	 	
	Razar Black Blade™ SK120 6 g 	LCB-50RB	10			0-49296-01906-8	 	
		LCB-50RB-50	50			0-49296-11064-2	 	
		CB50RBC	10			0-49296-11196-0	 SCR-L series	
	0.4 in 9 mm	Endura-Blade™ SK120 2 g 	LCB-30	10			0-49296-01425-4	 
			LCB-30-50	50			0-49296-07040-3	 
		Razar Black Blade™ SK120 2 g 	LCB-30RB	10			0-49296-11152-6	 
		30° Acute Angle Blade™ SK120 2 g 	CB39RBH	10			0-49296-11194-6	 DC390B

California Proposition 65 warning applicable to all products on this page.

WARNING : Risk of cancer and reproductive harm from exposure to Di (2-ethylhexyl) phthalate (DEHP). See www.P65Warnings.ca.gov.